



Notice of Study Completion:

Dundas Street Pump Station Class Environmental Assessment (EA)

The Municipality of Brighton has completed a Municipal Class Environmental Assessment (EA) study to determine the preferred solution to improve water supply and distribution capacity in the northeast area of Brighton. The Municipality has identified the construction of a new Booster Pumping Station on Dundas Street as the preferred solution to support future water demands and replace the existing Booster Pumping Station currently located within the Dundas Street boulevard.

This study was carried out in accordance with the requirements for a Schedule “B” Municipal Class Environmental Assessment. The planning and decision-making process which includes consultation with public, first nations, and review agencies, assessment of environmental impacts of alternative solutions, and identification of the preferred solution has been completed. The project report is available for viewing on-line on the Municipality website.

The 30-day public review period will commence on **July 10th, 2026**. For more information or to provide comments please email one of the following project contacts by August 10th, 2026:

John Gooding

Manager of Capital Infrastructure
Municipality of Brighton
67 Sharp Road
Brighton, ON K0K 1H0
Email: jgooding@brighton.ca

Tony Guerrero, P.Eng.

Project Manager
Jp2g Consultants Inc.
1620 Wallbridge Loyalist Road
Belleville, ON, K8N 4Z5
Email: tony.guerrera@jp2g.com

The public has the ability to request a higher level of assessment on a project if they are concerned about potential adverse impacts to constitutionally protected Aboriginal and treaty rights. Additionally, the minister may issue an order on his or her own initiative within a specified time period. The director (of the Environmental Assessment Branch) will issue a Notice of Proposed Order to the proponent if the minister is considering an order for the project within 30 days after the conclusion of the comment period provided in the Notice of Completion. Further, the proponent may not proceed after this time if:

- a Section 16 Order request has been submitted to the ministry regarding potential adverse impacts to constitutionally protected Aboriginal and treaty rights, or
- the Director has issued a Notice of Proposed Order regarding the project.

Members of the public must ensure that concerns are directed to the proponent for a response, and that in the event there are outstanding concerns regarding potential adverse impacts to constitutionally protected Aboriginal and treaty rights, Section 16 Order requests on those matters should be addressed in writing to:

**Minister, Ministry of the Environment, AND
Conservation and Parks**

777 Bay Street, 5th Floor,
Toronto ON, M7A 2J3
Minister.mecp@ontario.ca

**Director, Environmental Assessment Branch
Ministry of Environment, Conservation and Parks**

135 St. Clair Ave. W, 1st Floor,
Toronto ON, M4V 1P5
EABDirector@ontario.ca

For more information on requests for orders under Section 16 of the Environmental Assessment Act visit:
<https://www.ontario.ca/page/class-environmental-assessments-section-16-order>.

This notice issued July 10th, 2026.

Under the *Freedom of Information and Protection of Privacy Act* and the *Environmental Assessment Act*, unless otherwise stated in the submission, any personal information such as name, address, telephone number and property location included in a submission will become part of the public records files for this project and will be released, if requested, to any person.